

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Liquid
 Product name : Cid Clean Pro
 Product code : H51

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial/Professional use spec
 Use of the substance/mixture : See product bulletin for detailed information

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

CID LINES NV
 Waterpoortstraat, 2
 B-8900 Ieper - Belgique
 T + 32 57 21 78 77 - F +32 57 21 78 79
sds@cidlines.com - <http://www.cidlines.com>

Importer

Best Veterinary Solutions, Inc
 1716 Detroit St
 P.O. Box 370
 IA 50075 Ellsworth - United States of America
 T 888-378-4045
<https://www.bestvetsolutions.com/>

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Australia	Poisons Information Centre		13 11 26	
Belgium	Centre Anti-Poisons/Antigifcentrum c/o Hôpital Central de la Base - Reine Astrid	Rue Bruyn B -1120 Brussels	+32 70 245 245	
Canada	CANUTEC Country Organization/Company Address Emergency number Comment		(613) 996-6666	
Finland	Poison Information Centre	P.O.B 790 (Tukholmankatu 17) HUS SF - 00029 Helsinki	+358 9 471 977	
Iceland	Eitrunarmiðstöð Landspítali	Fossvogi 108 Reykjavik	+354 543 22 22	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital MSD Msida	112	
Netherlands	Nationaal Vergiftigingen Informatie Centrum Uitsluitend bestemd om artsen te informeren bij accidentele vergiftigingen	Huispostnummer B.00.118, PO Box 85500 3508 GA Utrecht	+31 30 274 88 88	
New Zealand	The National Poisons Centre	University of Otago, 2nd Floor, Adams Building, 18 Frederick Street, 9016 Dunedin	0800 764 766 0800 POISON	
Switzerland	Centre Suisse d'Information Toxicologique Swiss Toxicological Information Centre, Schweizerisches Toxicologisches Informationszentrum STIZ	Freiestrasse 16 Postfach CH-8032 Zurich	+41 44 251 51 51 (International) 145 (National)	
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	

Cid Clean Pro

Safety Data Sheet

According to OSHA 29 CFR 1910.1200

USA	American Association of Poison Control Centers		1-800-222-1222	
-----	---	--	----------------	--

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Labelling according to OSHA 29 CFR 1910.1200

Oxidising Liquids, Category 2	H272
Acute toxicity (oral), Category 4	H302
Acute toxicity (inhalation:dust,mist) Category 4	H332
Skin corrosion/irritation, Category 1A	H314
Serious eye damage/eye irritation, Category 1	H318
Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	H335

Full text of H statements : see section 16


Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to OSHA 29 CFR 1910.1200

Hazard pictograms (CLP)



Signal word (CLP)

: Danger

Hazardous ingredients

: Hydrogen peroxide

Hazard statements (CLP)

: H272 - May intensify fire; oxidiser.
H302+H332 - Harmful if swallowed or if inhaled.
H314 - Causes severe skin burns and eye damage.
H335 - May cause respiratory irritation.

Precautionary statements (CLP)

: P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P260 - Do not breathe dust/fume/gas/mist/vapours/spray.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P310 - Immediately call a POISON CENTER or doctor/physician.
P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P210 - Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrogen peroxide	(CAS-No.) 7722-84-1 (EC-No.) 231-765-0 (EC Index-No.) 8-003-00-9 (REACH-no) 01-2119485845-22	~ 50	Ox. Liq. 1, H271 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Corr. 1A, H314 STOT SE 3, H335 Aquatic Chronic 3, H412

Full text of H-statements: see section 16

Cid Clean Pro

Safety Data Sheet

According to OSHA 29 CFR 1910.1200

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Put victim at rest, cover with a blanket and keep warm. Get immediate medical advice/attention.
First-aid measures after skin contact	: After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap.
First-aid measures after eye contact	: Rinse immediately carefully and thoroughly with eye-bath or water. Get immediate medical advice/attention.
First-aid measures after ingestion	: IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Seek medical advice immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: Cough. May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Symptoms/effects after skin contact	: erythema (redness). Causes burns.
Symptoms/effects after eye contact	: Conjunctival redness. Impairment of vision. Causes tears.
Symptoms/effects after ingestion	: Causes burns. Gastrointestinal complaints. Cough. The product causes cramps.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : All extinguishing media can be used.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Oxidizing.
Explosion hazard : In use, may form flammable/explosive vapour-air mixture.

5.3. Advice for firefighters

Precautionary measures fire : Wear fire/flare resistant/retardant clothing. Eliminate all ignition sources if safe to do so.
Firefighting instructions : Use water spray or fog for cooling exposed containers.
Protection during firefighting : Exercise caution when fighting any chemical fire. Do not enter fire area without proper protective equipment, including respiratory protection. Wear fire/flare resistant/retardant clothing. Heat resistant gloves.
Other information : On exposure to high temperature, may decompose, releasing toxic gases.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Spill should be handled by trained cleaning personnel properly equipped with respiratory and eye protection. Stop leak if safe to do so. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous.

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Stop leak without risks if possible. Collect spillage. Use suitable disposal containers.
Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to collect it.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : When handling product, avoid contact with skin and eyes. Wear personal protective equipment. Do not breathe vapour/aerosol. Provide good ventilation in process area to prevent formation of vapour.
Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Handle in accordance with good industrial hygiene and safety procedures.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool well ventilated place. Do not store in corrodable metal. Keep container closed when not in use. Protect from freezing.
Special rules on packaging : Handle empty containers with care because residual vapours are flammable.

Cid Clean Pro

Safety Data Sheet

According to OSHA 29 CFR 1910.1200

Packaging materials

: Keep only in the original container in a cool, well-ventilated place.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Hydrogen peroxide (7722-84-1)

EU	Local name	Hydrogen peroxide
EU	IOELV TWA (mg/m ³)	1.4 mg/m ³
EU	IOELV TWA (ppm)	1 ppm
EU	Notes	(Ongoing)
EU	Regulatory reference	SCOEL Recommendations
Belgium	Local name	Hydrogène (peroxyde d') # Waterstofperoxide
Belgium	Limit value (mg/m ³)	1.4 mg/m ³
Belgium	Limit value (ppm)	1 ppm
Belgium	Remark (BE)	(peroxyde d')
Belgium	Regulatory reference	Koninklijk besluit/Arrêté royal 02/09/2018
Finland	HTP-arvo (8h) (mg/m ³)	1.4 mg/m ³
Finland	HTP-arvo (8h) (ppm)	1 ppm
Finland	HTP-arvo (15 min)	4.2 mg/m ³
Finland	HTP-arvo (15 min) (ppm)	3 ppm
France	VME (mg/m ³)	1.5 mg/m ³
France	VME (ppm)	1 ppm
Germany	TRGS 910 Acceptable concentration notes	
United Kingdom	Local name	Hydrogen peroxide
United Kingdom	WEL TWA (mg/m ³)	1.4 mg/m ³
United Kingdom	WEL TWA (ppm)	1 ppm
United Kingdom	WEL STEL (mg/m ³)	2.8 mg/m ³
United Kingdom	WEL STEL (ppm)	2 ppm
United Kingdom	Regulatory reference	EH40/2005 (Third edition, 2018). HSE
USA - ACGIH	ACGIH TWA (mg/m ³)	1.4 mg/m ³
USA - ACGIH	ACGIH TWA (ppm)	1 ppm

Hydrogen peroxide (7722-84-1)

DNEL/DMEL (Workers)

Acute - local effects, inhalation	3 mg/m ³
Long-term - local effects, inhalation	1.4 mg/m ³

DNEL/DMEL (General population)

Acute - local effects, inhalation	1.93 mg/m ³
Long-term - local effects, inhalation	0.21 mg/m ³

PNEC (Water)

PNEC aqua (freshwater)	0.0126 mg/l Assessment factor: 50
PNEC aqua (marine water)	0.0126 mg/l Assessment factor: 50
PNEC aqua (intermittent, freshwater)	0.0138 mg/l Assessment factor: 100

PNEC (Sediment)

PNEC sediment (freshwater)	0.047 mg/kg dwt
PNEC sediment (marine water)	0.047 mg/kg dwt

Cid Clean Pro

Safety Data Sheet

According to OSHA 29 CFR 1910.1200

Hydrogen peroxide (7722-84-1)

PNEC (Soil)

PNEC soil 0.0023 mg/kg dwt

PNEC (STP)

PNEC sewage treatment plant 4.66 mg/l Assessment factor: 100

8.2. Exposure controls

Appropriate engineering controls:

Provide adequate ventilation as well as local exhaustion at critical locations.

Personal protective equipment:

Protective goggles. Protective clothing. Gloves. Face shield. Insufficient ventilation: wear respiratory protection. Emergency shower installed.

Materials for protective clothing:

Condition	Material	Standard
Good resistance:		EN14605:2005+A1:2009

Hand protection:

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Polyvinylchloride (PVC)	6 (> 480 minutes)	0.5	2 (< 1.5)	EN ISO 374

Eye protection:

Mechanical Strength: 3:3. Field of use: B:B

Type	Use	Characteristics	Standard
Safety glasses, Safety goggles	Dust, Droplet	clear, Plastic	EN 166

Skin and body protection:

Type	Standard
	EN14605:2005+A1:2009

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.

Device	Filter type	Condition	Standard
Full face mask	Filter type A/P2	Vapour protection, Dust protection	EN 132, EN 140

Personal protective equipment symbol(s):



Other information:

When using do not eat, drink or smoke.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless.
Odour	: No data available
Odour threshold	: No data available
pH	: ≈ 1.5
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: -50 °C
Freezing point	: -20 °C
Boiling point	: No data available
Flash point	: No data available

Cid Clean Pro

Safety Data Sheet

According to OSHA 29 CFR 1910.1200

Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: ≈ 1.2 kg/l
Solubility	: Water: 100 %
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

None under normal conditions.

10.2. Chemical stability

The product is stable in the test system for the test duration.

10.3. Possibility of hazardous reactions

Vapor mixes readily with air. Attacks : Organic compounds. Reacts violently with:Reducing agent. In use, may form flammable/explosive vapour-air mixture.

10.4. Conditions to avoid

open flames. Overheating. Direct sunlight.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

May release flammable gases.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed or in contact with skin.

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Harmful if inhaled.

Cid Clean Pro

LD50 oral rat	1000 mg/kg
ATE CLP (dust,mist)	1.5 mg/l/4h

Hydrogen peroxide (7722-84-1)

LD50 oral rat	1193 – 1270 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 0.17 mg/l/4h

Skin corrosion/irritation : Causes severe skin burns.
pH: ≈ 1.5

Serious eye damage/irritation : Causes serious eye damage.
pH: ≈ 1.5

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : May cause respiratory irritation.

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

Cid Clean Pro

Safety Data Sheet

According to OSHA 29 CFR 1910.1200

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: Not classified.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

Cid Clean Pro

LC50 fish 1	96h 16.4 mg/l
EC50 Daphnia 1	48h 2.4 mg/l
Additional information	IC50 algae 72h, 4.3mg/l

Hydrogen peroxide (7722-84-1)

LC50 fish 1	37.4 mg/l 96h
EC50 Daphnia 1	7.7 mg/l 24h

12.2. Persistence and degradability

Cid Clean Pro

Persistence and degradability	The surfactant contained in this preparation complies with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.
Biodegradation	> 95 %

12.3. Bioaccumulative potential

Cid Clean Pro

Bioaccumulative potential	No indication of bioaccumulation potential.
---------------------------	---

Hydrogen peroxide (7722-84-1)

Partition coefficient n-octanol/water (Log Pow)	-1.57
---	-------

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste)	: Dispose in a safe manner in accordance with local/national regulations.
Waste treatment methods	: Dispose of this material and its container at hazardous or special waste collection point. Hazardous waste due to toxicity. Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: When totally empty, containers are recyclable like any other packing. Dispose in a safe manner in accordance with local/national regulations. Avoid release to the environment.
European List of Waste (LoV) code	: 07 06 01* - aqueous washing liquids and mother liquors

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR)	: UN 2014
UN-No. (IMDG)	: UN 2014
UN-No. (IATA)	: UN 2014
UN-No. (ADN)	: UN 2014
UN-No. (RID)	: UN 2014

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: HYDROGEN PEROXIDE, AQUEOUS SOLUTION
Proper Shipping Name (IMDG)	: HYDROGEN PEROXIDE, AQUEOUS SOLUTION

Cid Clean Pro

Safety Data Sheet

According to OSHA 29 CFR 1910.1200

Proper Shipping Name (IATA)	: Hydrogen peroxide, aqueous solution
Proper Shipping Name (ADN)	: HYDROGEN PEROXIDE, AQUEOUS SOLUTION
Proper Shipping Name (RID)	: HYDROGEN PEROXIDE, AQUEOUS SOLUTION
Transport document description (ADR)	: UN 2014 HYDROGEN PEROXIDE, AQUEOUS SOLUTION, 5.1 (8), II, (E)
Transport document description (IMDG)	: UN 2014 HYDROGEN PEROXIDE, AQUEOUS SOLUTION, 5.1 (8), II
Transport document description (IATA)	: UN 2014 Hydrogen peroxide, aqueous solution, 5.1, II
Transport document description (ADN)	: UN 2014 HYDROGEN PEROXIDE, AQUEOUS SOLUTION, 5.1 (8), II
Transport document description (RID)	: UN 2014 HYDROGEN PEROXIDE, AQUEOUS SOLUTION, 5.1 (8), II

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR)	: 5.1 (8)
Danger labels (ADR)	: 5.1, 8



IMDG

Transport hazard class(es) (IMDG)	: 5.1 (8)
Danger labels (IMDG)	: 5.1, 8



IATA

Transport hazard class(es) (IATA)	: 5.1 (8)
Danger labels (IATA)	: 5.1, 8



ADN

Transport hazard class(es) (ADN)	: 5.1 (8)
Danger labels (ADN)	: 5.1, 8



RID

Transport hazard class(es) (RID)	: 5.1 (8)
Danger labels (RID)	: 5.1, 8



14.4. Packing group

Packing group (ADR)	: II
Packing group (IMDG)	: II
Packing group (IATA)	: II
Packing group (ADN)	: II
Packing group (RID)	: II

Cid Clean Pro

Safety Data Sheet

According to OSHA 29 CFR 1910.1200

14.5. Environmental hazards

Dangerous for the environment	: No
Marine pollutant	: No
Other information	: Clean up even minor leaks or spills, if possible, without unnecessary risk

14.6. Special precautions for user

Special transport precautions	: Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency, No naked flames, sparks, and do not smoke, Keep public away from danger area, NOTIFY POLICE AND FIRE BRIGADE IMMEDIATELY
-------------------------------	--

Overland transport

Classification code (ADR)	: OC1
Limited quantities (ADR)	: 1I
Excepted quantities (ADR)	: E2
Packing instructions (ADR)	: P504, IBC02
Special packing provisions (ADR)	: PP10, B5
Mixed packing provisions (ADR)	: MP15
Portable tank and bulk container instructions (ADR)	: T7
Portable tank and bulk container special provisions (ADR)	: TP2, TP6, TP24
Tank code (ADR)	: L4BV(+)
Tank special provisions (ADR)	: TU3, TC2, TE8, TE11, TT1
Vehicle for tank carriage	: AT
Transport category (ADR)	: 2
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV24
Hazard identification number (Kemler No.)	: 58
Orange plates	:



Tunnel restriction code (ADR)	: E
EAC code	: 2P

Transport by sea

Limited quantities (IMDG)	: 1 L
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P504
Special packing provisions (IMDG)	: PP10
IBC packing instructions (IMDG)	: IBC02
IBC special provisions (IMDG)	: B5
Tank instructions (IMDG)	: T7
Tank special provisions (IMDG)	: TP2, TP6, TP24
EmS-No. (Fire)	: F-H
EmS-No. (Spillage)	: S-Q
Stowage category (IMDG)	: D

Air transport

PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y540
PCA limited quantity max net quantity (IATA)	: 0.5L
PCA packing instructions (IATA)	: 550
PCA max net quantity (IATA)	: 1L
CAO packing instructions (IATA)	: 554
CAO max net quantity (IATA)	: 5L
ERG code (IATA)	: 5C

Inland waterway transport

Classification code (ADN)	: OC1
Limited quantities (ADN)	: 1 L

Cid Clean Pro

Safety Data Sheet

According to OSHA 29 CFR 1910.1200

Excepted quantities (ADN) : E2
Carriage permitted (ADN) : T
Equipment required (ADN) : PP, EP
Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : OC1
Limited quantities (RID) : 1L
Excepted quantities (RID) : E2
Packing instructions (RID) : P504, IBC02
Special packing provisions (RID) : PP10, B5
Mixed packing provisions (RID) : MP15
Portable tank and bulk container instructions (RID) : T7
Portable tank and bulk container special provisions (RID) : TP2, TP6, TP24
Tank codes for RID tanks (RID) : L4BV(+)
Special provisions for RID tanks (RID) : TU3, TC2, TE8, TE11, TT1
Transport category (RID) : 2
Special provisions for carriage - Loading, unloading and handling (RID) : CW24
Colis express (express parcels) (RID) : CE6
Hazard identification number (RID) : 58

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Cid Clean Pro is not on the REACH Candidate List

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

California Cleaning Product Right to Know Act of 2017 (SB 258)

Component	CAS-No.	Function	List(s)
Water	7732-18-5	Diluent	Not Applicable
Hydrogen Peroxide	7722-84-1	Bleaching Agent	Not Applicable

Other information, restriction and prohibition regulations

: Ensure all national/local regulations are observed. PIC Regulation EU (649/2012) - Export and Import of hazardous chemicals. {0} is subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

15.1.2. National regulations

15.2. Chemical safety assessment

No additional information available

Cid Clean Pro

Safety Data Sheet

According to OSHA 29 CFR 1910.1200

SECTION 16: Other information

Other information : **DISCLAIMER OF LIABILITY** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Classification according to Regulation (EC) No. 1272/2008 [CLP]:	
Ox. Liq. 2	H272
Acute Tox. 4 (Oral)	H302
Acute Tox. 4 (Inhalation:dust,mist)	H332
Skin Corr. 1A	H314
Eye Dam. 1	H318
STOT SE 3	H335

Full text of H- and EUH-statements:	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Ox. Liq. 1	Oxidising Liquids, Category 1
Ox. Liq. 2	Oxidising Liquids, Category 2
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H271	May cause fire or explosion; strong oxidiser.
H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.

SDS_U

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.